ELECTRICAL & NON-ELECTRICAL 1928



KING OF

THE ROAD



MOTOR-CYCLEALITIES

DESIGNED AND MANUFACTURED BY

JOSEPH LUCAS LIMITED

HEAD OFFICES AND WORKS:

GREAT KING STREET, BIRMINGHAM

TELEPHONE: NORTHERN 2201 (10 LINES). TELEGRAMS & CABLES: "LUCAS, BIRMINGHAM." CODES USED : A B C (5TH AND 6TH EDITIONS) AND BENTLEYS

WHOLESALE DEPÔTS:

BELFAST-3-5, Calvin Street, Mountpottinger.

Telegrams: "SERVDEP, BELFAST."

Telephone: Belfast 7017.

BRISTOL-25, Temple Street.

Telegrams: "KINGLY, BRISTOL." Telephone: Bristol 8400 (3 lines).

CARDIFF (Opening shortly)-Penarth Road.

Telegrams: Telephone:

DUBLIN-Taylor Bros., 41, Middle Abbey Street.

Telegrams: "AUTOLITE, DUBLIN."

Telephone: Dublin 653.

GLASGOW-227-229, St. George's Road.

Telegrams: "Lucas, Glasgow." Telephone: Douglas 3075 (3 lines).

LEEDS-64, Roseville Road.

Telegrams: "LUSERDEP, LEEDS." Telephone: LEEDS 28591 (5 lines).

LONDON-224, Shaftesbury Avenue, W.C.2.

Telegrams: "GUIDEPOST, WESTCENT, LONDON."

Telephone: REGENT 8033 (3 lines).

MANCHESTER-291-293, Deansgate. Telegrams: "Luminous, Manchester." Telephone: CENTRAL 6420 (2 lines).

NEWCASTLE-ON-TYNE-64-66, St. Mary's Place.

Telegrams: "MOTOLITE, NEWCASTLE-ON-TYNE,"

Telephone: CENTRAL 3571 (3 lines).

FOR LIST OF SERVICE DEPOTS SEE PAGE 60.

EXHIBITIONS.—The Goods listed herein are sold on the condition that they are not to be exhibited by any person, firm or company at any Exhibition in the United Kingdom of Great Britain and Ireland without our written authority.

WARRANTY .- We stand by all Goods of our manufacture. We spare no trouble or expense to ensure the quality of "LUCAS" Goods and are always ready to make good, by repair or replacement, any defect not caused by wear and tear, misuse, or negligence. This guarantee is in lieu of any guarantee implied by statute, and any damages for which we make ourselves responsible are limited to cost of repair or replacement by us or to our order.

"KING "ROAD" PROJECTOR SET No. 472


No. 472 is a large Acetylene Projector Set giving a driving light which is extraordinarily powerful, the road being flooded with an even and penetrative light for a long distance ahead.


It is fitted with a **Mangin Lens Mirror**, is bold yet pleasing in appearance, and is built on similar lines to our Car Projectors. The finish is of the high class always associated with the name "Lucas."

The Generator is of the drip-feed type, has a two-way nipple, and the carbide container is fixed or unfixed by a slight turning movement. This fixing is a Lucas patent—therefore exclusive.

No.											
472	COMP	IFTE	CET :	-1 1 T					CASH	PRI	CE
4/2	NO. 02	, Double	Bracket	No. 61	3 for han	No. 472, dle-bar, ai	nd Tubin	tor ng.	£3		0
	PROJ	ECTOR	ONLY-								
No.		Weight.			D						
472	71 in	23 1h	$7\frac{1}{4}$ in.	Glass.	Burner.		1 1		_		
	/4 111.	34 10.	/ 4 III.	$0\frac{1}{4}$ III.	No. 52	Ebony B	lack		2	0	0
	GENE	RATOR	ONLY-								
62	Supplie	s gas for	4½ hours.	Ebony	Black fin	ish				15	0
	Ebony Bl	ack is the	standard	finish, but	Nickel Pla	ted can be s	supplied in	ford	lered.		•
				POSTAGE							
0					Little.						

"KING OF THE ROAD" SET NO. 472 (WITH DOUBLE BRACKET)







"KING "ROAD" PROJECTOR SET No. 472S

(SPORTS MODEL)

No. 472S is a Sports Model Projector Set. It is fitted with a genuine Mangin Lens Mirror, and the Projector is mounted well forward by means of our Girder Brackets No. 48, which are strong and rigid.


Its powerful, penetrative light is projected for a considerable distance ahead, enabling the rider to maintain a high average speed with safety.


The Generator can be fitted to bars or down tubes, as required, by its adjustable bracket, and the carbide container is attached by our patented quick-action fixing.

No. 472S	COMPLETE SE Girder Brackets (N Tubing and No. 37	lo. 48) for hand	le-bar, Genera	tor No. 62 with			
No. 472	PROJECTOR O Height. Weight. 7 ¹ / ₄ in. 3 ³ / ₄ lb.	Front. Glass		Finish. Ebony Black	2	0	0
62	GENERATOR Consumer Supplies gas for 4½		Black finish			15	0
37	GENERATOR E	BRACKET for	No. 62 Genera	tor		2	6

Ebony Black is the standard finish, but Nickel Plated can be supplied if ordered.

POSTAGE EXTRA.





"KING OF THE ROAD"

SET No. 472S

(SPORTS MODEL)

"KING "ROAD" PROJECTOR SET No. 462

No. 462 is built on similar lines to our Motor-Car Projectors, with a special Mangin Lens Mirror and Parabolic Reflector, which project a powerful, penetrative light, enabling the rider to discern pedestrians, vehicles, or obstacles, at a considerable distance, while providing the necessary breadth of beam to illuminate the full width of the road near the rider. The flame is absolutely steady and unvarying, and is not affected by cross winds.

The Generator is of the drip-feed type, has a two-way nipple, and the fixing of the carbide container is effected by our patented method, which is the quickest imaginable. A slight turning movement serves to fix or unfix the container.

A Double Bracket, carrying the Projector and Generator on the handle-bar, is included in the price of the Set. It can be fixed to most standard machines, is adjustable for level, and will fit $\frac{7}{8}$ in. or 1 in. bars. All brackets are fitted with the new Lucas ball socket mounting, which enables the Projectors to be set correctly without strain either to the lamps or brackets.


No.				D 11 D	CASH	PRI	CE
462	(No. 61B) for handle-bar, and	es Projecto l Tubing. I	Ebony Black	finish	£2	10	0
No. 462	PROJECTOR ONLY— Height.Weight.Front. $6\frac{1}{2}$ in.3 lb. $6\frac{1}{2}$ in.	Glass. 5 in.	Burner. No. 52	Finish. Ebony Black	1	10	6
62	GENERATOR ONLY— Supplies gas for 4½ hours. E	bony Black	finish .			15	0

Ebony Black is the standard finish, but Nickel Plated can be supplied if ordered.

POSTAGE EXTRA

"KING OF THE ROAD"
SET NO. 462
(WITH DOUBLE BRACKET)





Patented side-sockets are fitted which permit the Projector to be swung round for inspection purposes without being removed from Bracket.

LUCAS "KING THE ROAD"


PROJECTOR SETS Nos. 4625 AND 462FS


No. 462S Sports Model Projector Set (Acetylene) is fitted with a special Mangin Lens Mirror and Parabolic Reflector, which project a powerful, penetrative light for a consider able distance and give the necessary width of beam near the rider.

The Projector can be set well ahead of the handle-bars by means of our Girder Brackets No. 48, to complete the general outline of a Sports Machine.

The Generator is of the drip-feed type and is fitted with a special adjustable bracket which enables it to be fitted to the handle-bar, down tubes, etc., where required.


Chabics	It to be in	ica to the	iditate bar,		,,	1				
No.									SH PF	RICE
462S	COMPLE	CTE SET-	-includes P	rojector, Pr	ojector Girder	Brackets	(No. 4	(8)		
1025	Combondi	har Can	rator (No	62) with	Tubing, and	Vo 27 (Generat	or		
			The state of the s					.01	22 10	0
	Bracket.	Ebony Bla	ck finish					a	E2 10	U
		TOR ONI								
No.	Height.		Front.	Glass.	Burner.	Fini				
462S		3 lb.	$6\frac{1}{2}$ in.	5 in.	No. 52	Ebony	Black		1 10	6
		TOR ON								
10	Committee	van for 1 h	ours Ebor	Black fin	ish			None and	1.5	0
62			ours. Ebor	ly Diack III		• •	• •			9
37	GENERA	ATOR BR	ACKET							6
Th	is Projecte	or can also	he adapted	for fitting t	to front forks,	and is su	pplied	as a	comr	lete
	ACOECH	il land	Early Proc	lata instan	d of No 48 Gi	rder Bra	ckets .	othe	TWISE	the
Set (N	0.462FS)	with No. 3	9 Fork Brac	ikets instea	d of No. 48 Gi	idei Dia	CACUS,	111	5 :-	CIIC
Set is s	similar to I	Nos. 462S de	etailed abov	e. No. 39	Brackets are s	upplied '	to suit	eitne	er § 11	ı. or
³ in. fo										
	III.		Finish					CA	SH PI	RICE
No.	COMPI	ETE SET		Rlack				4	E2 10	0
	Ebony Bl	ack is the s	standard fin	ish, but Nic	ckel Plated can	be supp	lied if	order	ed.	
			PC	DSTAGE EXT	ΓRA.					





No. 462FS SET FOR FRONT FORKS





"KING OF THE ROAD" SET No. 462S (SPORTS MODEL)

"KING "ROAD" PROJECTOR SET No. 420

No. 420, a new model for 1928, is a soundly constructed Projector Set, fitted with a Silvered Mirror Reflector optically designed to throw a steady, penetrative light a good way ahead, while at the same time the beam is sufficiently wide and divergent to light up the sides of the road. It is fitted with a Reflector Extension. The double bracket is adjustable to allow the lamp to be tilted to the desired angle for the best projection of the light. The Generator is of the drip-feed type, has a two-way nipple and our patented quick-action fixing.

No. 420	COMP	LETE S	SET—incl	udes P	rojector.	Generator, Do		ASH PI	RICE
120					-	Ebony Black f		21 11	0
V	PROJ	ECTOR	ONLY—						
No. 420	Height.	Weight. 21/4 lb.	Front. $6\frac{1}{2}$ in.	Glass. 5 in.	Burner. No. 40	Ebony Black		18	6
	GENE	RATOR	ONLY—	-			7		
42	Supplie	s gas for	4½ hours.	Ebony	Black fin	ish		10	0
	Ebony Bla	ack is the	standard fir	nish, but	Nickel Plat	ed can be supplie	d if ord	ered.	


POSTAGE EXTRA.



"KING OF THE ROAD"

SET No. 420


(WITH DOUBLE BRACKETS)



LUCAS "KING "ROAD" PROJECTOR SETS Nos. 420S AND 420FS

No. 420S, a new Sports Model Projector Set, is similar to the model described on pages 10-11, but is fitted with our Girder Brackets which enable the Projector to be mounted well forward, completing the appearance of a Sports Machine. The drip-feed Generator is of ample capacity, and is supplied with a stirrup bracket, making it suitable for fixing to down tubes, etc., where required.

No.			CASH	PRICE	3
420S	COMPLETE SET—includes Projector, Projector for handle-bar, Generator No. 42, with Tubing, and Ebony Black finish	or Girder Brackets (No. d No. 37 Generator Brac	48) ket. £1	12 6	•
No. 420	PROJECTOR ONLY— Height.Weight.Front.Glass.Burner 5 in. $6\frac{1}{2}$ in. $2\frac{1}{4}$ lb. $6\frac{1}{2}$ in.5 in.No. 4			18 6	•
42	GENERATOR ONLY— Supplies gas for 4½ hours. Ebony Black finish			10 0	
37	GENERATOR BRACKET			2 6)
comple	rojector No. 420S can also be adapted for fitting the Set (No. 420FS) with No. 39 Fork Brackets ise the Set is similar to No. 420S detailed above.	s instead of No. 48 Gi	rder Bra	ckets	,
No. 420FS	in. or $\frac{3}{4}$ in. forks. COMPLETE SET. Ebony Black finish		CASH £1	PRICE 12 6	-
	Ebony Black is the standard finish, but Nickel P	Plated can be supplied if	ordered.	•	



"KING " ROAD" PROJECTOR SET No. 320

This new Acetylene Set has a Double Bracket, and is designed for fixing on the handle-bar.


The Projector is fitted with a Silvered Mirror Reflector and Reflector Extension, and can be readily adjusted to throw the light on the road where required.

The Generator is of ample capacity and has our patented fixing, a slight turning movement enabling it to be quickly fixed or unfixed. It is of the drip-feed type, giving a steady supply of gas and, therefore, even illumination. All brackets are fitted with the new Lucas ball socket mounting, which enables the Projectors to be set correctly without strain either to the lamps or brackets.

No. 320	Double	e Bracket	(No. 21	ncludes B) for ha	Projector, andle-bar,	Generator No. and Tubing. El	32,	CASI	I PRI	CE
	Black	finish						£1	1	0
	PROJ	ECTOR	ONLY							
No. 320	Height. 6 in.	Weight.	Front. 5 in.	Glass. $4\frac{1}{4}$ in.	Burner. No. 40	Finish. Ebony Black			11	6
32	100	es gas for			y Black fir	nish			8	6
Eb	ony Bla	ck is the st	andard fi	inish, but	Nickel Plate	d can be supplied i	f order	red.		
_					E EXTRA.					



"KING OF THE ROAD" SET NO. 320 (WITH DOUBLE BRACKET)



LUCAS "KING THE ROAD"

PROJECTOR SETS Nos. 3205 AND 320FS

No. 320S Sports Model Projector Set (Acetylene) is fitted with a Silvered Mirror Reflector and Reflector Extension. It projects a powerful, penetrative light for a considerable distance, and gives the necessary width of beam near the rider.

Our Projector Girder Brackets, No. 48, enable the Projector to be set well ahead of the handle-bars, making it a very attractive Set for medium-weight Sports Machines.

The Generator No. 32, of the drip-feed type, is supplied with this Set, and is fitted with our special generator stirrup bracket No. 37. This adjustable bracket allows the Generator to be fitted to the handle-bars, down tubes, etc., where required.


No. CASH PRICE

110.			72						11 11/	TOL
320S	COMPI	LETE SE	T—includes	Projecto	r, Projector (Girder Brack	ets (No.	48)		
	for hand	le-bar, G	enerator N	o. 32, W	ith Tubing,	and No. 37	Genera	tor		
	Bracket.	Ebony	Black finish					£:	1 2	6
	PROJE	CTOR C	DNLY—							
No.	Height.	Weight.	Front.	Glass.	Burner.	Finish.				
320	6 in.	1월 lb.	5 in.	4½ in.	No. 40	Ebony Bla	ack		11	6
32	GENER	RATOR	ONLY—Sup	oplies gas	for 4½ hours	. Ebony Bla	ck finish		8	6
37			BRACKET			_			2	6

This Projector can also be adapted for fitting to front forks, and is supplied as a complete Set (No. 320FS) with No. 39 Fork Brackets instead of No. 48 Girder Brackets; otherwise the Set is similar to No. 320S detailed above. No. 39 Brackets are supplied to suit either $\frac{5}{8}$ in. or $\frac{3}{4}$ in. forks.


No. 320FS COMPLETE SET. Ebony Black finish £1 2 6


Ebony Black is the standard finish, but Nickel Plated can be supplied if ordered.





"KING OF THE ROAD"
SET No. 320S
(SPORTS MODEL)





No. 320FS SET FOR FRONT FORKS

SIDE-CAR LAMP WITH REAR-LIGHT No. 354


This is a popular Acetylene Lighting Set for use on Side-Cars, the Lamp being designed to throw a white light forward, and a red light to the rear by means of our **special** side reflector.

The Lamp has a back socket for a flat-tongue bracket, is fitted with a coin-slotted screw, and the Generator has a socket which fits the Lucas No. 53 Bracket, to suit $1\frac{1}{8}$ in. or $1\frac{1}{4}$ in. tubes.

A flat-tongue lamp bracket (No. 75) for fitting to the Side-Car can be supplied when required, but it is not included in the Standard Set.

Duti	t is not me	idded iii tii	ic otalicial	a bot.						~
No.								CAS	SH PRI	CE
354					nerator, Tubony Black	bing and Generat finish	or Bra		£1 2	6
	LAMP O	NLY—								
No. 354	Height.	Weight. 14 oz.	Front. $4\frac{1}{4}$ in.	Glass. $3\frac{1}{4}$ in.	Burner. No. 53	Finish. Ebony Black			12	0
54	GENERA	TOR—Su	pplies gas	for 3 hou	rs. Ebony	Black finish			8	6
53	GENERA	TOR BR	ACKET,	Ebony B	lack finish				2	6
No. 75	LAMP B	RACKET	, Ebony I	Black finis	h, for No. 3	354 Lamp			1	0
	Ebony B	lack is the	e standard	l finish, bu	it Nickel P	lated can be sup	plied i	f order	ed.	
				POSTA	GE EXTRA.					





SIDE-CAR LAMPSET

No. 354

SIDE-CAR LAMP WITH REAR-LIGHT No. 350

No. 350 Side-Car Lamp is fitted with an Aluminium Reflector. It throws a white light forward, and shows a red light to the rear through the back of the Lamp and Bracket.


The Lamp and Bracket are combined and can be affixed to the Side-Car bodywork by means of a plate bolted up from the inside.

The Generator is of the drip-feed type and will supply sufficient gas for the No. 350 Lamp to burn 3 hours. It has a socket to take the No. 53 Generator Bracket, which fits 1½ in. or 1¼ in. tubes.

No. 350	STANDA No. 53, to	RD SET-	—includes	Lamp, Getubes.	enerator, Tul Ebony Black	oing and G finish	enera	tor Bra	cket	CASH PRICE
No. 350	LAMP Of Height. 4 ¹ / ₄ in.		Front.	Glass. 3½ in.	Burner. No. 11	Finish Ebony B			••	6/6
44	GENERA	TOR O	NLY—Suj	pplies gas	for 3 hours.	Ebony E	Black f	finish	• •	7/6
53	GENERA	TOR BE	RACKET	, Ebony I	Black finish	• •		• •	• •	2/6
				POSTA	GE EXTRA.					







No. 53 BRACKET

TAIL LAMP No. 344 SET

(ACETYLENE)

This Tail Lamp is designed to fix on the number plate, which it illuminates by a white side light, and it shows, of course, a red light to the rear.


The gas nipple of the Lamp is now adapted for pump connection, which enables the burner to be cleaned from time to time by air pressure from a tire pump.

The Generator is conveniently fixed to the down tube under the saddle, and will supply gas for the small single-jet burner for about five hours.

The rubber tubing from the Generator to the Lamp can be neatly run along the luggage carrier, as shown in the illustration opposite, and is entirely out of the way.

No.	CONTINUE CET : (I 1 Consented with	CASH PRICE
344	COMPLETE SET—consists of Lamp and Generator with Bracket and Tubing	13/- set
No. 344	LAMP ONLY. Height 2½ in. Diameter 1½ in. Burner No. 306. Plated finish	3/6 each
No. 44	GENERATOR ONLY. Supplies gas for 5 hours. Ebony Black finish	
No. 53	GENERATOR BRACKET, Ebony Black finish	2/6 ,,





LUCAS COMPLETE SEMI-SPORTS EQUIPMENT FOR MOTOR-CYCLES

The Complete Equipment Set "D," illustrated opposite, is listed as standard by many Motor-Cycle Manufacturers.

The Complete Set comprises Projector with Brackets, Generator with Bracket, Tail Lamp and Bulb Horn, and is listed at an inclusive price.

The **Projector** is fitted with a **Reflector Extension** and a **Silvered Mirror Reflector** optically designed to project a powerful penetrative light a considerable distance and to give the necessary width of beam near the rider. The Brackets are designed to fit into the lugs on the front forks, making a neat method of fixing the lamp.

The **Generator**, of the drip-feed type, has our quick-action carbide container attachment, and its bracket makes it adaptable for fitting in the most convenient position. The two-way feed on the Generator enables the tail lamp to be supplied with gas, as well as the head lamp.

The Tail Lamp and Bulb Horn are our standard models, and are listed in detail on pages 22 and 26 respectively.

THE COMPLETE SET comprises Projector (with Brackets) Generator Generator Bracket			No. 420. No. 42. No. 37.	Tail Lamp Bulb Horn Complete v			No.	63.		
Price of Set "D," as above									£2 €	0 0
The Complete Equipment Set described above, but with Projector N	" E '	'is a	also standard on many Light ead of Projector No. 420, an	-weight Motor-(nd Generator N	Cycles. o. 32 ins	The spe	ecification : Generator		r to Set CASH P	

If a Side-Car Lamp is required to be used in conjunction with above equipment, No. 350 Set, described and illustrated on pages 20 and 21, is recommended.

£1 12

POSTAGE EXTRA.


Price of Set "E," Ebony Black finish





GENERATOR No. 42 WITH NO. 37 BRACKET





TAIL LAMP No. 344



"KING OF THE ROAD" HORN No. 63

"KING THE ROAD" MOTOR-CYCLORNS Nos. 32, 60, 60P, 63

Lucas Motor-Cycle Horns have a very pleasing note, of great penetration, which is unequalled for effectiveness and carrying power.

Horns Nos. 32 and 60 are fitted with the Lucas special canvas-reinforced rubber bulbs, which are more durable than the ordinary type, splitting at the seams being now quite unknown.

No. 32 is the most powerful motor-cycle bulb horn on the market. A suggested method of fixing is shown opposite, which places the Horn in a very convenient position. We can supply left-hand or right-hand as required.

No. 60 has the "turns" of the tube enclosed in the body of the Horn so that a compact and neat appearance is obtained, and at the same time cleaning is greatly facilitated.

No. 60P, a new model, is a similar Horn to No. 60, but has a simplified clip and a strong plain rubber bulb instead of our special canvas-reinforced bulb.


No. 63 is a smaller pattern specially designed for use on Light-weight Machines. Various improvements have been effected in this model, and for power of tone and note it is unequalled for its size.


enected in th	is model, and for power or come		1			(ASH	PR.	CE
								EA	CH
No. 32	Ebony Black finish .			 	 		£1	7	6
60				 	 			13	6
60P	Ebony Black finish .							11	6
63	Smaller, Ebony Black fir							8	6

Ebony Black is the standard finish, but Nickel Plated can be supplied if ordered.

For particulars of the LUCAS MOTOR-CYCLE ELECTRIC HORN No. 3 see pages 50 and 51 of Electrical Section.

POSTAGE EXTRA.












No. 60





No. 63

LUCAS "KING OF ROAD"

"SAFETY" OBSERVATION MIRRORS Nos. 16 and 11


Suitable for \{\frac{1}{8}\) in. or I in. handle-bars.


No. 16 Mirror gives a wide field of vision, is adjustable in any direction, and is fitted with an ingenious locking device. When once correctly adjusted for rear observation, it may be turned over, out of the way (as illustration), and can be instantly returned to the original position without further adjustment.

To alter position of Mirror, slacken locking lever and pull Mirror forward to disengage stud. It can then be moved to the desired position, into which it falls automatically. Lock in position with the lever as shown.

No. 11 is a cheaper pattern Observation Mirror, being of more simple construction than the No. 16. This Mirror also gives a wide field of vision and is adjustable in any direction. It can be turned inwards when negotiating narrow passages.

No.	Diameter	Length of Arm.		Finish.				CASH PRICE EACH
16	$3\frac{1}{2}$ in.	5¾ in.	Ebony !	Black	(Plated	parts)	 	10/6
11	,,	,,	,,	,,	,,	,,	 	6/6





No. 16 "SAFETY" MIRROR (WITH LOCKING DEVICE)



LUCAS "GIRDER" WRENCHES

Made in three sizes: $3\frac{1}{4}$ in., $4\frac{1}{2}$ in., $7\frac{1}{4}$ in.

Each size supplied with or without patented Pipe-grip Attachment.

STRONG, LIGHT, DURABLE.

The "Girder" is of neat design and has a quick adjustment, responsive to the slightest touch. The shape of the jaws gives a firm, square, vice-like grip that prevents springing and slipping, releases readily and does not lock.

Each size can be supplied fitted with a Pipe-grip Attachment for holding round tubes, as illustrated.

This patented attachment is secured to the lower jaw of the wrench by two links and can be turned back out of the way when the wrench is required for ordinary nuts. The attachment has a serrated surface, and when placed in position for use on round tubes, pipes or bars, the angle of the serrations ensures a firm grip which will not slip under any pressure. A slight turn in the opposite direction instantly releases the grip.

The "Girder" ($4\frac{1}{2}$ in.) is useful for getting at small nuts in awkward places where a large wrench cannot be used.

The "Girder Minor" (3\frac{1}{4} in.) is convenient for many small adjustments, such as to the magneto, and can be carried in the waistcoat pocket.

The "Girder Major" (74 in.) is the largest "Girder" Wrench, and is very suitable for heavy adjustments. It is a particularly handy

tool, and strikes one as being "just the thing" for the work, because, while being very strong, it is also light and nice to handle.

For strength, accuracy and ease of manipulation, the "Girder" Wrenches are unsurpassed, and should be found in every garage, repair shop and tool kit.

snop and t	.001 KIU.		Jaws					CASH
No.	Name.	Length.	Open.	Finish.				PRICE EACH
90	"Girder Minor"	$3\frac{1}{4}$ in.	5 in.	Gun Black	 	 		 2/9
90G	,, ,,	with Pipe-grip	Attachmen	it		 	• •	 $\frac{3}{3}$
91	"Girder"	$4\frac{1}{2}$ in.	0	Gun Black	 	 		 4/6
91G	,, with Pi	ipe-grip Attacl		• • • • • •	 	 		 6/6
93	" Girder Major		0	Gun Black	 	 		 7/6
93G	,, ,,	with Pipe-grip	Attachmen	ıt	 • •	 		 110

The Pipe-grip Attachment can be supplied separately for these Wrenches at the following prices:—For No. 90, 6d. each; No. 91, 9d. each; No. 93, 1/- each.

POSTAGE EXTRA.





LUCAS "FORCED-FEED" OILER

Our "Forced-Feed" Oiler is a necessary item in every motor-cyclist's outfit. It ensures the oil "getting there," whereas with the ordinary drip oiler one can never be sure whether the oil is dropping at all or running to waste. The specially designed thumb-operated pump will deliver just one or two drops or a little stream, and it forces the oil, under pressure, wherever it is required, even in the most awkward places.


No. 40 is an exceptionally neat pattern designed for use on heavy machines, cycle-cars, etc. It is nice to handle, of ample capacity, and as the Oiler is oval in shape it does not take up much space in the tool kit. It has a flat base, so will stand when not in use. A special retainer to hold the oiler tip is now fitted which prevents the latter becoming mislaid when the Oiler is being used.

No.	Capacity.	Length.	Width.	Height.	Finish.	PRICE EACH
40	1 pint	$8\frac{1}{4}$ in.	$1\frac{1}{2}$ in.	4½ in.	Polished Brass	 7/6

A **Spring Clip** is provided to carry the No. 40 Oiler, which can be conveniently secured to the woodwork inside the side-car, or it may be screwed to the inside of the tool-box. It can be fixed horizontally or vertically, as required, and holds the Oiler firmly in position, preventing its being thrown about and becoming damaged.

No.		Finish.			PRICE
4	Clip for No. 40 Oiler	 Black	 	 • •	1/-

POSTAGE EXTRA.



No. 40
Plan View
showing
Flat Shape

33

PATENT POCKET SCREWDRIVER

This Pocket Screwdriver is of the "propeller" type, and when not in use the blade is concealed in the barrel.

The toughened steel blade is hollow ground, so that it engages firmly in the slot of the screw and does not slip.

It has a quick-thread screw, and with a few turns of the barrel the blade is exposed for use.

The replacement of a blade is a very simple matter. Unscrew the milled cap at the head of the Screwdriver, and a few anti-clockwise turns of the barrel will enable the blade to be readily withdrawn.

This neat little tool is suitable for all light work, and is particularly convenient for carrying in the waistcoat pocket.


No. Length (closed) Finish.

1 $4\frac{3}{16}$ in. Plated 2/-

Spare Blades for this Screwdriver .. 9d. each.

POSTAGE EXTRA.





PATENT POCKET SCREWDRIVER

LUCAS ROUND PATTERN OILER No. 20

This Oiler is made of brass, and has a bent spout which facilitates oiling, even in awkward places.

The "popple" is designed to give quick recovery, and the filler-cap is coinslotted for screwing up tightly. The oiler tip is fitted with a leather plug, which prevents leakage.

No.	Capacity.	Diameter.	Length.	Finish.	CA	EACH
20	½ pint	3½ in.	8½ in.	Nickel Plated	 	2/9

LUCAS PETROL SQUIRTS Nos. 2 AND 3

These Squirts are fitted with special end to spout, with fine bore and petroltight screw tip.


No.	Length.	Diameter.	Finish.		CA	EACH
2	5 in.		Nickel Plated	 	 	1/3
3	7 in.	25 in.	Nickel Plated	 	 	2/-

All Oilers and Petrol Squirts are thoroughly tested, and will not leak.






No, 20 OILER



PETROL SQUIRTS



CASH PRICES FOR REPAIRS & PARTS

(MOTOR-CYCLEALITIES)

N.B.—All Repairs must bear a Label, INSIDE THE PACKAGE, giving sender's name and address, and should be despatched "Carriage Paid," to JOSEPH LUCAS LTD., GREAT HAMPTON STREET, BIRMINGHAM, except London District Repairs, which should be sent to our Acton Depot, Dordrecht Road, Acton Vale, W.3.

MOTOR-CYCLE LAMPS AND GENERATORS.

MIOION-C	ICLL	LITTINI D	THILD OBTIDATE ONE.	
Regulators— Nos. 44, 54		PRICES 6d. each	Water Screw—Nos. 31, 42, 44, 52, 54 4d. each	
Nos. 31, 42, 51, 52, 62			Nos. 51, 62 8d. ,,	
Burners—			Centre Screw—Nos. 31, 44, 54 8d. ,,	
No. 52, "Roni," for Nos. 341, 46	62,472	2/1 ,,		
No. 40, "Roni," for Nos. 342, 34	45,442	1/4 ,,	Glass only—No. 472 2/- ,,	
No. 30, "Roni," for No. 331			Nos. 442, 462 1/4 ,,	
No. 53, "Roni," for No. 354		4 1 4	Nos. 341, 342, 345, 454 1/- ,, No. 331 8d. ,,	
No. 11) for No. 250		5.4		
$ \text{No. } 11 \\ \text{No. } 372 $ for No. $350 \dots$		Ju. ,,	37 011 170 1	
No. 6, "Vika," for No. 344 (p	previous			
to 1922)		6d. ,,	Wire for Glass 4d. ,,	
No. 306 for No. 344			Mangin Mirror—No. 472 13/6 ,,	
Rubber Rings—			No. 462 10/6 ,,	
Nos. 44, 54		2d. ,,	Nos. 341, 454 8/6 ,,	
Nos. 31, 42, 51, 52, 62		3d. ,,	Mirror Reflector—No. 442 4/6 ,,	
Carbide Containers—			Nos. 342, 345 3/- ,,	
Nos. 44, 54			Nos. 231, 331 2/- ,,	
Nos. 31, 42, 51, 52, 62		2/- ,,	Reflector (Aluminium)—No. 354 6d. ,,	
Container Cage, No. 62		3/3 ,,	No. 350 4d. ,,	
Carbide Cover and Spring—			Front Door complete—No. 472 15/- ,,	
Nos. 44, 54		4d. ,,	No. 462 10/6 ,,	
Nos. 31, 42, 51, 52, 62		6d. ,,	No. 442 10/6 ,,	
Carbide Plate and Tube—			Nos. 341, 342, 345, 454 6/- ,,	
Nos. 31, 51, 52, 62			No. 331 4/3 ,,	
Carbide Tube—Nos. 44, 54		1d. ,,	No. 354 1/9 ,,	
Nos. 31, 42, 51, 52, 62		3d. ,,	No. 350 1/- ,,	
	MOT	OR-CYCL	E HORNS.	
Bulb with Socket for Nos. 32, 60 Horn	ns	4/3 each	Reeds for No. 63 Horn 1/- each	
", ", " Nos. 60P, 63 Ho	orns	3/3 ,,	Handle-bar Clip, with Screws, for Nos. 32, 60	
Sockets for Nos. 32, 60 Horns .			Horns 2/- ,,	
" Nos. 60P, 63 Horns .			Handle-bar Clip, with Screws, for Nos. 60P,	
Reeds for Nos. 32, 60, 60P Horns .			63 Horns 1/2 ,,	
			or Horn when ordering Spares.	
-0		POORLOR	TAMED 4	

LUCAS

ELECTRICAL EQUIPMENT

FOR MOTOR-CYCLES

1928

The words "LUCAS," "KING OF THE ROAD," "CYCLEALITIES," "MOTOR-CYCLEALITIES," "MOTORALITIES," and "MAGDYNO" are Registered Trade Marks for Goods of Lucas manufacture.

DESIGNED AND MANUFACTURED BY

JOSEPH LUCAS LIMITED

HEAD OFFICES AND WORKS :

GREAT KING STREET, BIRMINGHAM

TELEGRAMS AND CABLES: "LUCAS, BIRMINGHAM."

TELEPHONE: NORTHERN 2201 (10 LINES)

CODES USED: A B C (5TH AND 6TH EDITIONS) AND BENTLEYS

SERVICE DEPÔTS:

BELFAST-3/5, Calvin Street, Mountpottinger	GLASGOW-227/229, St. George's Road
Telegrams "SERVDEP, BELFAST."	
Telephone BELFAST 7017	. Telephone Douglas 3075 (3 lines).
BIRMINGHAM—Great Hampton Street	LEEDS-64. Roseville Road
Telegrams "Lucas, Birmingham."	Telegrams "LUSERDEP, LEEDS."
Telephone - Northern 2201 (10 lines)	. Telephone Leeds 28591 (5 lines).
BRISTOL-25, Temple Street	LONDON-Dordrecht Road, Acton Vale, W.3.
Telegrams "KINGLY, BRISTOL."	Telegrams "Dynomagna, Act. London."
Telephone Bristol 8400 (3 lines)	. Telephone Снізміск 3801 (18 lines).
CARDIFF (Opening shortly)—Penarth Road	LONDON-759, High Road, Leyton, E.10
Telegrams	Telegrams "Luserdep, Walt, London."
Telephone	Telephone Walthamstow 2161 (2 lines).
COVENTRY—Priory Street	LONDON-155, Merton Road, Wandsworth, S.W.18
Telegrams "Lucas, Coventry."	'Telegrams "Luserv, Wands, London."
Telephone COVENTRY 3068 & 3841	. Telephone Putney 5131 (4 lines) & 5501.
DUBLIN-41, Middle Abbey Street	
Telegrams "AUTOLITE, DUBLIN."	'Telegrams "Lucas, Stretford."
Telephone Dublin 653	. Telephone TRAFFORD PARK 1410 (3 lines).
NEWCASTLE-ON-T	YNE-64-66, St. Mary's Place
	"MOTOLITE, NEWCASTLE-ON-TYNE." CENTRAL 3571 (3 lines).
All Previo	ous Catalogs Cancelled. October, 1927.

IN ADDITION THERE ARE BATTERY SERVICE AGENTS IN MOST CENTRES.

LUCAS "MAGDYNO" (REG.) (LIGHTING & IGNITION)

The Lucas "Magdyno" (Combined Lighting and Ignition) Set enables the Motor-Cyclist to have the advantages of car lighting. With the "Magdyno," only a turn of the switch is necessary to give a brilliant and even flood of light over the whole width of the road for a tremendous distance ahead, besides providing a healthy spark for ignition at all speeds. Most well-known makers now catalog their machines with Lucas Electrical Equipment as standard at an inclusive price, or as an alternative.

Lucas Equipment is subjected to constant testing and research, and its continued and progressive advance in detail of design is proved by its popularity, and the fact that it is fitted to-day by the thousand as standard, or when specified. A few of the improvements incorporated in 1928 Models are: new cut-out of robust design, stronger gear drive, and waterproof terminals. The magneto section carries

the Lucas Magneto Guarantee, and has special features developed by racing performance.

The "Magdyno" is a full-size machine (30 watts) and, as the name suggests, consists of two units: a magneto for ignition and a dynamo for charging the battery, both units being neatly housed within an aluminium body. Power is transmitted to the dynamo (the upper unit) by gears driven from the magneto spindle. The machine is thus equivalent to a somewhat taller magneto, the size as regards bolt hole centres and height of spindle remaining the same as the ordinary standard magneto; the same chain and gear drive for the latter sufficing for the "Magdyno," enabling it to be fitted without the provision of an extra drive.

As the magneto is no longer required, the full list price is allowed by us for new magnetos (see page 58).

To owners of motor-cycles already in use we are willing to make the best possible allowance for the old magneto, according to its age. Full particulars on application.

Specifications of the complete "Magdyno" Sets, for Solo or Combination Machines, are given below, and the various component parts are illustrated and described on the pages of this Catalog detailed below.

Height, $6\frac{3}{18}$ in.

Weight, 13 lb.

Length, 7% in. Width, 4¼ in.

"MAGDYNO" SOLO SET comprises:—

" Magdyno" (For Single-Cylinder Engines).

Projector No. SS47 (with Switch and Ammeter), described and illustrated on pages 42 and 43.

Tail Lamp No. MT110, described and illustrated on pages 46 and 47.

Battery No. LJW7E (Lucas "Milam"), described and illustrated on pages 48 and 49.

Set of Cables, etc.

Price of Solo Set complete, in Ebony Black	finish	 						~			£10 17	6
Extra for Two-Cylinder "Magdyno" Extra for Lucas Patent Dipping Reflector		 t for He	ad I	amp,	describe	d and	illustra	ated on	pages	42-43	4 0	23-23


"MAGDYNO" COMBINATION SET comprises :-


As above, but with:—
Side-Car Lamp No. R330S, described and illustrated on pages 46 and 47.

Full list price allowed for new magnetos (see page 58). Allowance for used magnetos according to age.


Write for full particulars.

40





LUCAS." MAGDYNO" (REG.)



VIEW OF "MAGDYNO" WITH COMMUTATOR AND CONTACT BREAKER END COVERS REMOVED

LUCAS "KING " ROAD" MOTOR-CYCLE ELECTRIC PROJECTOR

AND WITH THE NEW LUCAS PATENT DIPPING REFLECTOR

No. SS47 Motor-Cycle Projector is a new large model for 1928. It is bold and pleasing in outline, and is used in "MD" "Magdyno" Sets.

It has a 6 in. diameter reflector, is fitted with the Lucas "Difusa" glass, which projects a beam eliminating all streaks of light, and has a high-power gas-filled bulb, which gives a powerful, even light which floods the road over its whole width for a long distance ahead.

Other special features are that the controlling switch is mounted on the top of the lamp and is easily operated even when the Projector is set in a low position. Also the ammeter is incorporated in the body of the lamp so that it is readily visible to the rider.

Provision is made to allow alternative of a full driving light for the open road and a reduced light for town use.

The front rim and reflector are easily detached for the purpose of bulb replacement, wiring, etc.

The Girder Brackets are strong and rigid, and the new ball socket mounting allows the lamps and brackets to be correctly set without strain to either.

The above Projector can now be supplied with the new Lucas Patent Dipping Reflector.

The whole principle is entirely new, fully covered by Lucas patents, and is already acknowledged as the simplest and most efficient anti-dazzle device, being standardized by many of the leading Car and Motor-Cycle Manufacturers.

Control is by movement of one small knob on a neat air cylinder mounted on the handlebars. This cylinder is connected by tubing to a similar but smaller cylinder in the lamp, a piston in this lamp cylinder being coupled to the back of the removable reflector.

When the knob of the operating cylinder is pulled out, air is sucked out of the lamp cylinder, causing the piston rod to move and pull the reflector into the dipped position. To return to normal position, the control knob is simply pushed in again.

The system does not depend on maintenance of air pressure or vacuum to keep the reflector in either position—the reflector is maintained rigidly by a spring device. The lighting power is not diminished in the least by these dipping reflectors.

	Front, 7 in.	Aperture, 6 in.		Weigh	it, 2¾ lb			
	270111, 7 1111					CASH	PRI	ICE
N.	Einiah							CH
No.	Finish.	Switch and Ammeter				£2	17	6
SS47	Ebony Black, complete with Girder Brackets,	Switch and Ammeter						
SS47D	As above, complete with Dipping Reflector, O	perating Cylinder and	Tubing			3	17	6
SSIID	in above, compress							



OPERATING CYLINDER WITH HANDLE-BAR CLIP



REFLECTOR DIPPED— ELIMINATING DAZZLE



No. SS47 WITH SWITCH, AMMETER AND GIRDER BRACKETS

LUCAS BATTERY LIGHTING EQUIPMENT

For Motor-Cycles on which it is impossible to fit one of our "Magdyno" Sets, or where it is undesirable to do so on account of cost, a Battery Lighting Set can be supplied. There is no difficulty whatever in fitting this equipment to any ordinary Motor-Cycle. When a Battery Set is used, ready access to charging facilities is, of course, a necessity.

The Set for Solo Machine comprises:


Battery No. LJW7E, described on page 48.
Head Lamp No. SS30M (with Switch and Girder Brackets).
Tail Lamp No. MT110, described on page 46.
Set of Cables.

Price of Solo Set complete, in Ebony Black finish .. £2 15 0

The Set for Combination Machine comprises:—

As above, but with:—
Battery No. LK7E, of larger capacity, described on page 48.
Side-Car Lamp No. R33oS, described on page 46.

Price of Side-Car Set complete, in Ebony Black finish .. £3 17 6



HEAD LAMP No. SS30M (WITH SWITCH AND GIRDER BRACKETS)




SIDE-CAR LAMP No. R330S



TAIL LAMP No. MT110





BATTERY NO. LJW7E WITH SOLO FITTINGS

LUCAS "KING " ROAD" ELECTRIC LAMPS FOR MOTOR-CYCLES

SIDE-CAR LAMPS Nos. R440S and R330S.

No. R440S is fitted with a Silvered Reflector, and has our patented universally adjustable mounting which enables the beam to be set to the best advantage on the road. It is of the concealed cable type and the front of the lamp is attached by a bayonet fixing, and is removed by pressing and turning to the left (looking at the front of the lamp). To assist in focusing a new bulb, notches, allowing for three alternative positions, are provided in the bulb holder.

No. I	R330S is a	similar Side-	Car Lamp t	o R440S, but smaller.	C	ASH PRICE
No. R440S	Front. $4\frac{1}{2}$ in.	Aperture. 35 in.	Weight. Ilb.	Finish. Ebony Black		EACH 19/-
R330S	3 3 in.	27 in.	IO OZ.	Ebony Black	 	12/6

TAIL LAMP No. MT110.

A lamp which embodies many new features. The bulb holder is mounted on a rubber diaphragm (see illustration) which absorbs vibration, thereby lengthening the life of the bulb filament. A hole is cut into the rear number plate to take the front of the lamp, which is secured by three rivets or screws through flange to number plate. The rear portion of the lamp is engaged by a bayonet joint which is locked by a half turn to the right. It is now fitted with a metal reflector which gives a much improved white light.

A red light is shown to the rear and a white side light illuminates the number plate, so that the lamp is suitable for Combinations of all weights.


CASH PRICE

circo circ rain	P 10 bareaut 101	0		CA	SH PRICE
No.		Finish.			EACH
MT110	With 1½ in. Red Glass.	Ebony Black	 		8/6
-	POST	CAGE EXTRA			





SIDE-CAR LAMPS Nos. R440S AND R330S



Rubber Diaphragm

TAIL LAMP No. MT110 FRONT DETACHED



TAIL LAMP No. MT110

LUCAS MOTOR-CYCLE BATTERIES

Lucas Motor-Cycle Batteries are symmetrical and neat, and embody the latest practice in battery design. They are manufactured throughout at the Lucas Battery Works, under the best conditions and with the latest and most improved plant.


Our Moulded "Milam" Batteries are stronger than the usual celluloid type; they are leak-proof, and practically immune from the risk of fire.

A special characteristic of Lucas Batteries is their low voltage drop on discharge. Our separators give the necessary rigidity to the section and ensure free diffusion of the electrolyte and low internal resistance. The terminals are robust, and are made of a non-corrosive alloy. The Batteries are entirely self-contained, making a separate case quite unnecessary.


The unique construction of the vents allows the free escape of gas at reduced pressure without carrying away the acid solution or permitting the ingress of moisture or dirt to the cell.


BATTERY No. LO5E ("Milam").	BATTE	RY No.	LO5E	(" Milam	").
-----------------------------	-------	--------	------	----------	-----

Type	Voltage	Amp hours	Over-all Dimensions.					CASH	PRI	
LO5E			$6\frac{1}{8} \times 3 \times 7\frac{3}{8}$	Battery only		 		£1		0
LO5E	6	9		With Solo Fittings		 		1	10	0
BATT	ERY No.	LH5E (" Milam ").							
LH5E	6	12	$5\frac{1}{4} \times 5\frac{1}{16} \times 5\frac{5}{16}$ in.	Battery only		 		£1	7	6
LH5E	6	12		With Solo Fittings		 		1	13	6
LH5E	6	12		With Side-Car Fittin	ngs	 · · · .		1	10	0
BATTI	ERY No.	LJW7E	(" Milam ").				1			
LJW7E	6	12	$4\frac{13}{16} \times 3\frac{5}{8} \times 5\frac{5}{8}$ in.	Battery only		 		£1	5	0
LJW7E	6	12		With Solo or Side-C						
BATTI	ERY No.	LK7E (i	n Moulded Ebonit	e).						
LK7E	6	21	$7\frac{1}{4} \times 4\frac{3}{4} \times 5 \text{ in.}$	Without Tin Case		 		£2	2	0
	6	21	$10 \times 5 \times 5\frac{1}{2}$ in.	In Tin Case		 		2	12	0
				OSTAGE EXTRA.						




BATTERY No. LJW7E WITH FITTINGS





BATTERY No. LK7E IN TIN CASE



BATTERY No. LH5E WITH SIDE-CAR FITTINGS



BATTERY No. LO5E WITH SOLO FITTINGS

LUCAS "KING " ROAD" ELECTRIC HORN No. 3


EMBODYING MANY PATENTED FEATURES.


The Lucas Electric Horn should form part of the equipment of every Motor-Cycle fitted with a "Magdyno" Lighting Set. It is provided with a clip for the handle-bar, and the Horn Push should be fixed on the bar near the grips, so that the rider may sound the Horn without removing his hand from the brake or other lever he may be controlling.

This Horn gives a powerful, penetrative note, and its effectiveness and long distance carrying power have been thoroughly tested and are indisputable.

The final result has only been achieved after continuous scientific investigation in the laboratory combined with careful testing on the road. Another striking difference from ordinary horns is its durability: it can be operated for very long periods without attention of any kind, and is capable of withstanding the variation in voltage experienced with different Battery conditions, without affecting the purity of its note, a common fault with ordinary horns. Special provision has been made to eliminate sparking at the contact points.

No. 3	Finish. Ebony Black, with Horn Push, without Cable	PRICE EACH 17/6
	6-volt (4-volt Horns can be supplied if required).	
	When ordering, state voltage required.	
	Horn Push only	2/6
	Standard 5 mm. Black Ignition Cable for the above Horn, 6d. per yard.	
	POSTAGE EXTRA.	







LUCAS FESTOON AND DASH LAMPS

The Lucas Festoon Lamps are very useful for illuminating the dash or for lighting the interior of enclosed side-cars or taxi side-cars. These lamps occupy only a small space, and therefore when fitted as roof lamps readily permit the folding back of the hood. In each type the cylindrical body can be rotated to direct the light where required.

Type D10 does not need a separate switch, as turning the lamp body until the glass faces the base of lamp automatically switches the light off. The body is held in position by a spring plunger, and can be instantly removed for bulb replacement.

Type D5 has an "on" and "off" switch incorporated in the lamp. Its cylindrical body is hinged to the left-hand supporting post, and is held in position on the other side by a spring "click" locking arrangement. By swinging the body on its hinge the window portion of the lamp can be detached and the bulb replaced if required; this also allows the interior of the side-car to be lit direct from the bulb.

TYPE D10 FESTOON LAMP. Dimensions: $5\frac{1}{2} \times 1\frac{3}{4}$ in. Takes Festoon Bulb. No. Finish.				PRICE
D10 Ebony Black and Plated. With Bulb		• •	 	15/6
TYPE D5 FESTOON LAMP. Dimensions: $5\frac{3}{8} \times 1\frac{7}{8}$ in. Takes standard Tail Lamp Bulb. No. Finish.			CASH	PRICE EACH
D5 Ebony Black and Plated. With Bulb	 		 	7/6

The Lucas Dash Lamps are extremely neat and compact in appearance, and are ideal for use where space is limited.

Type D20 does not require a separate switch, as the knurled head of the cover serves this purpose.

Type D30 is switched on by turning the knurled head of the cover to the right. There is no direct light to distract the eyes, as a diffused light is directed through the slotted windows towards the dash or instruments by the neat cone reflector arrangement in the head of the lamp. The top of the lamp pulls off for replacement of bulb, and this also allows direct illumination from the bulb.

TYPI No.	E D20 DASH LAMP. Takes stan- Finish.	dard Ta	ail Lam	p Bul	b.							CASH	PRICE EACH
D20	Ebony Black and Plated Parts.	With	Bulb							 	 		5/-
D20	Nickel Plated. With Bulb									 	 		5/-
TYPE D30 DASH LAMP. Takes standard Tail Lamp Bulb. No. Finish. CASH F.										PRICE EACH			
D30	Ebony Black and Plated Parts.	With	Bulb							 	 		5/-
D30	Nickel Plated. With Bulb										 		5/-

¶ Finish required must be specified when ordering.



DASH LAMP TYPE D20



FESTOON DASH LAMP TYPE D10



FESTOON DASH LAMP TYPE D5



TYPE D30

LUCAS SPARE BULB CASE



SPARE BULB CASE No. 12C WITH CLIP

The Lucas No. 12C Spare Bulb Case is designed for holding a spare set of Electric Bulbs, which should always be carried for use in case of emergency. The bulbs are retained in the end covers as shown. A spring clip is provided which enables the bulb case to be secured in any convenient position, such as to the woodwork inside the side-car, or to the lid of the tool-box, etc., just as required.

The Case holds one Head Lamp bulb and four small bulbs.

No.	Dimensio	ns of Case:	Length	$, 5\frac{1}{2} \text{ in.};$	Diamete	er, 23 in.		CASH	PRICE EACH
12C	With Spring Clip. Wi	ithout Bu	lbs					 	5/6
12	Without Spring Clip.								4/6
	Clip only					1	/- each.		

LUCAS ELECTRIC BULBS FOR MOTOR-CYCLE LAMPS

All these Bulbs have our specially designed Metallic Filaments, which give the best results when used in combination with Lucas Lamps.

6-VOLT (EARTH RETURN) BULBS.

Code Word	No.	Volts	Watts	Approx. C.P.	Dia. Bulbs	Suitable for	CASH PRICE EACH
FAHEFE	‡8S	6	3	3	23 mm.	Pilot Bulb in SS ₄₇ Head Lamps, Side-Car and Tail Lamps	1/6
FAHEGO	‡*D69	6	9 & 3	9 & 3	40 mm.	Head Lamps in Battery Sets	3/6
FAHUK	†2S	6	18	30	38 mm.	SS ₄₇ Head Lamp in "Magdyno" Sets	2/9
FAHEBI	‡66F	6	6	6		Festoon Dash Lamp Type Dio	3/-

† Vacuum.

† Gas-filled.

FAHYC	Pilot Bulb	Volts	Amps.	M.E.S. Cap	Pilot Bulb in MC440 Head Lamp	
1		3 3			Lamp	6d.

^{*} Double Filament: One for use as driving light, and an auxiliary filament of lower candle-power for use when driving light is not required.

LUCAS "MILAM" (MOULDED) RADIO BATTERIES

(" MILAM " MEANS MOULDED IN LUCAS ACID-PROOF MATERIAL)

The new Lucas Radio Batteries are moulded in "Milam," and its use enables the outside covering to be moulded integral with the cells—this prevents leakage of acid and gives great mechanical strength to the Battery. A separate case or crate is not required.

The finish of this material resembles polished ebony, and the consequent handsome appearance of Lucas Radio Batteries, besides making them an acquisition to the highest quality sets, warrants their being placed in any room where a wireless cabinet is installed.

The large bore vents are clean and effective, and the terminals robust. Another special feature is the strong carrier (with its neat and positive attachment) which facilitates handling of the Battery—a boon when it needs recharging.

The cells of the 6-volt Batteries are grouped so that they can be used for 2, 4, or 6 volts. Types RP5/6, RH5, RO5/6, RP7/4, RP5/4, RO5/4, RP7/2, RP5/2, and RO5/2 are specially suitable for Dull-emitter Valves.

Full information regarding charging and maintenance is provided with every Battery, and it should be particularly noted that prices include cover and special carrier for Battery.

LUCAS "MILAM" LOW TENSION RADIO BATTERIES. Prices include Cover and Carrier.

			DIMENSIO	NS.	Actual Capacity	Intermittent	Cash Price each (dry).	
Type.	Volts.	Length.	Width.	Height (less carrying strap).	at 20 hour rate of discharge.	Rate.		
		in.	in.	in.	Amp. hours.	Amp, hours.	£ s. d.	
RM9	6	112	518	II14	90	180	4 10 6	
RP7/6	6	‡ 9 4	516	9	50	100	3 2 6	
*RP5/6	6	1 71	516	9	30	60	2 4 0	
*RH5	6	5 1/4	$5\frac{1}{8}$	51°6	16	32	I II 6	
*RO5/6	6	6 1 8	3	73	12	24	I 8 6	
*RP7/4	4	‡ 74	5178	9	50	100	2 2 0	
*RP5/4	4	5 3 8	438	8 ₇	30	60	I 12 6	
†*RO5/4	4	41/2	278	$6\frac{1}{2}$	12	24	I 0 6	
*RP7/2	2	5 3 8	2 8 2 3 2 4	8,7	50	100	I 2 6	
*RP5/2	2	5 3	23	8 ₁ ⁷ g	30	60	16 6	
*RO5/2	2	27/8	$2\frac{1}{4}$	$6\frac{1}{2}$	12	24	II O	


6-volt batteries have connections for 2, 4, or 6 volts.


* These Batteries are specially suitable for use with Dull-emitter Valves.

† These Batteries consist of two 2-volt Batteries, connected and assembled in a case-carrier.

‡ These lengths include the carrying lugs.


Non-corrosive cup terminals of special design are now fitted to these Batteries.





TYPE RM5

LUCAS "MILAM"
RADIO BATTERIES



LUCAS MAGNETOS

FOR MOTOR-CYCLES

	October, 192	All previous li	sts car	ncell	ed.								
		For Light-weight Engines.											
	No. MA1	For small Single-Cylinder Engines	$\dot{\tilde{3}}$	15°	0								
	No. MA2	For small Two-Cylinder Engines (Cylinders side by side or horizontally opposed)		2	6								
For Medium Motor-Cycle Engines.													
	No. KSA1	Single-Cylinder Type	4	2	6								
	No. KSA2	Two-Cylinder Type (for Cylinders side by side or horizontally opposed)	4	10	0								
For Large Motor-Cycle Engines.													
	No. KL1	Single-Cylinder Type	4	12	6								
	No. KL2	Two-Cylinder Type (for Cylinders side by side or horizontally opposed)	5	0	0								
	No. KLV	Two-Cylinder Type (for V Engines)	5	0	0								
		For Racing Motor-Cycle Engines.											
	No. KR1	Single-Cylinder Type	5	15	0								
	No. KRV	Two-Cylinder Type	6	2	6								

(State degrees of angle in case of V Engines.)

SPARES

FOR LUCAS LAMPS IN "MAGDYNO," DYNAMO AND BATTERY SETS

HEAD LAMPS R45, RS45, SR45, SS4 RS515.	, R515 ,	Price
Front Rim with "Difusa" Glass for Nos. R45, RS45, SR45, SS45	6 each Hexagon Nut for fixing Lamps MB31, SF	35
Front Rim with "Difusa" Glasss for Nos. R515, RS515		9 ,,
Glass only, "Difusa," for Nos. R45, RS45, SR45, SS45 Glass only, "Difusa," for Nos. R515, RS515	Cheese-headed Screw	2 ,,
Bulb (double filament D618 and D612), 6 volt	Ammeter Container	6 each
Hexagon Nut for fixing Lamp to Bracket for R45, SR45, R515	SIDE-CAR LAMP R330	S.
Ammeter Container	6 , Front Rim and Glass	3
Ammeter Spigot Bolts R45, R515 Spigot Nuts R45, R515	8 ,, Bulb 6 volt No. 8S	4 ,,
HEAD LAMPS MB31, MS31, SR35, and SS30M.	S35, TAIL LAMP MT110.	
Front Rim with "Difusa" Glass for Nos. MB31, MS31, SR35, SS35, SS30M Glass only, "Difusa," for Nos. MB31, MS31		4 3 ,,

LUCAS SERVICE DEPÔTS

For the convenience of users of all Lucas articles—particularly Lighting Sets and Magnetos—we have established the undermentioned Service Depôts, where urgent repairs and general overhauls will be dealt with by experienced staffs.

						1		
	BELFAST	-	-	-	-	- 3	3/5,	CALVIN STREET, MOUNTPOTTINGER - Telephone: Belfast 7017
	Telegrams: "SERVDEP, BELFAST"	Value of					14	
	BIRMINGHAM	-	-	-	-	-	-	- GREAT HAMPTON STREET
	Telegrams: "Lucas, BIRMINGHAM	,,	-	-	_	-	-	- Telephone: Northern 2201 (10 lines)
	BRISTOL	_	_	_	4	1	_	25, TEMPLE STREET
	Telegrams: "KINGLY, BRISTOL"	-	4	- 4				- Telephone: Bristol 8400 (3 lines)
								PENARTH ROAD
	CARDIFF (Opening shortly) -	_	-					그는 사람들이 아이들은 사람들이 되었다면 하는 것이 되었다면 하는 것이 되었다면 하는데
	Telegrams:	-	-	_	TARR			Telephone:
	COVENTRY	-	-	-	-	-	-	PRIORY STREET
	Telegrams: "Lucas, Coventry"	-	-	-	-	-	-	- Telephone: Coventry 3068 & 3841
	DUBLIN	_	_ "	_	_	_	_	- 41, MIDDLE ABBEY STREET
	Telegrams: "AUTOLITE, DUBLIN"		_	_	_	_	_	- Telephone: Dublin 653
								227/229, ST. GEORGE'S ROAD
	GLASGOW	-	7			- N/		- Telephone: Douglas 3075 (3 lines)
ř	Telegrams: "Lucas, Glasgow"	-	7	-	1		-	
	LEEDS	-	-	-	-	-	-	64, ROSEVILLE ROAD
	Telegrams: "LUSERDEP, LEEDS."		-	-	-	-	-	- Telephone: Leeds 28591 (5 lines)
	LONDON	_	_	_	_		DO	RDRECHT ROAD. ACTON VALE, W. 3.
	Telegrams: "DYNOMAGNA, ACT, I	ONDO	v "	-	_	-	_	- Telephone: Chiswick 3801 (18 lines)
			9					759, HIGH ROAD, LEYTON, E. 10
	LONDON	-	. ,,	700	7- 10			
	Telegrams: "LUSERDEP, WALT, L	ONDON			-	500		Telephone: Walthamstow 2161 (2 lines)
	LONDON	-	4-	-	-	155,		RTON ROAD, WANDSWORTH, S.W. 18
	Telegrams: "LUSERV, WANDS, LO	NDON	,,	-	-	-	-	Telephone: Putney 5131 (4 lines) & 5501
	MANCHESTER	_		_	_	-	_	- TALBOT ROAD, STRETFORD
	Telegrams: "Lucas, STRETFORD"	, -	-38	-	-	_	- '	Telephone: TRAFFORD PARK 1410 (3 lines)
								64-66, ST. MARY'S PLACE
	NEWCASTLE-ON-TYNE -	- O T	Twar	. ,,		5月 大小	-	- Telephone: CENTRAL 3571 (3 lines)
	Telegrams: "MOTOLITE, NEWCAST	LDE-ON	- A YNE	V7			1,54	- Telephone. CENTRAL 3011 (3 lines)
	· · · · · · · · · · · · · · · · · · ·	. 7		D 11	-	200 · 100		* A TOP TO THE PROPERTY OF THE

LUCAS: MOTOR: CYCLEALITIES ELECTRICAL & NON-ELECTRICAL 1928



KING OF

THE ROAD